



Introduction

Novel Concrete leads the precast and interlocking concrete manufacturers in Pakistan.

The company is known for its distinguis hed and reputed image set by satisfactory service delivery for more than 15 years now. We provide top quality products satisfying national and international specifications; the quality is achieved through the best research and state-of-the-art technology.


Novel Concrete delivers a wide range of precast concrete products including pavers, slab and wall panels, paving stones and blocks, kerbstones and barriers, EPS panels, and pre-stressed structural elements. Produced in automated and controlled indoors, the products manufactured are lighter, aesthetically pleasing, economical, sustainable, energy and eco-efficient. Our pavers boasthigh durability, un-questioned reliability and can resistvarious traffic and severe weather conditions. They can survive high inflows of heavy traffic, fierce abrasion of walkways and sustained pedestrian traffic on the one hand and heaviest compressive loads of machinery and material handling equipment at Port traffic on the other. Capable of bearing furious environmental and mechanical loads, these pavers find applications in countless facilities including petrol pumps, service stations, numerous residential driveways, pedestrian footpaths, commercial and industrial parking areas, recreational and monumental spots.

Precast roofing and wall systems that we provide address the demands of modern civil engineering applications such as lightweight construction, reduced structural loads, quick installation, improved thermal and acoustic performance, and the need for greener and sustainable development. We as a manufacturer take both the social and environmental responsibilities while producing and managing our deliverables.

Our productsare approved by all the local government and semi-government departments as well as many testing laboratories confirming them appropriate for various applications.

Novel Concrete enjoysa long list of satisfied and reputed clients and guarantee exemplary references.






Old Town Series & Slates











- 1. High Strength
- 2. Better Interlocking
- 3. Skid and Slip Resistant
- 4. Durable
- 5. Quick ans Rapid Installation


AVAILABLE SIZES

- 50MM
- 60MM
- 80MM












- 1. High Strength
- 2. Better Interlocking
- 3. Skid and Slip Resistant
- 4. Durable
- 5. Quick ans Rapid Installation

AVAILABLE SIZES

- 50MM
- 60MM
- 80MM











- 1 High strength
- 2 Better interlocking
- 3 Skid and slip resistant
- 4 Durable
- 5 Quick and rapid installation

Available Sizes


- 50mm
- 60mm
- 80mm











- 1. High Strength
- 2. Skid Resistant
- 3. Better Interlocking
- 3. Resistant to Salt Attack
- 4. Durable and Re-usable
- 5. High Plant-CintolledQuality
- 6. Green Product

AVAILABLE SIZES

65MM











Kerb Stone Available Sizes (mm) (L x W x H)

- K-2
- K-1 4×10×12
- K-3 6x12x12
- K-4 6x12x14
- K-5 6x12×18











- 1 Easily available
- 2 Security protection
- 3 Dissipate kinetic energy of the vehicle
- 4 Little to no maintenance
- 5 Resist erosion and degradation











- 1. Fast Construction
- 2. Strong, Durable and Economical
- 3. Saving in Plaster
- 3. Saving in Mortar
- 4. Low Maintenance
- 5. Fire Resistant
- 6. Thermal and Acoustic Instalation

Available Sizes (mm) (L x W x H)


- 4 x 8 x 12
- 6 x 8 x 12
- 8 x 8 x 12











- 1 Lightweight.
- 2 Quick construction.
- 3 Strong, durable, and economical
- 4 Saving in plaster.
- 5 Saving in mortar.
- 6 Low maintenance cost.
- 7 Fire resistant.
- 8 Thermal and acoustic insulation.

APPLICABLE USES:

- · Exterior wall and interior walls.
- Load bearing walls (226mm).
- · Partition walls (108mm).

AVAILABLE SIZES

(mm) (L x W x H)


- 4x8x16
- 6 x 8 x 16
- 8x8x16











- 1 Plant controlled superior quality.
- 2 Economical and cost effective.
- 3 Quick construction and installation.
- 4 Reduced labour and formwork cost.
- 5 Consistent and superior finish.
- 6 Availability as single panel and plank system.
- 7 Coloured plank for aesthetics.

APPLICABLE USES:

- · Housing societies.
- · Agricultural land.
- · Warehouses.
- Parks.
- Hotels.
- · Farmhouses.











1 Economical and efficient

2 High plant-controlled precision 5 Green product

3 Pre-stressed material

4 Quick installation

6 Reusable

Available Sizes

Girder section: Slabs:

4" X 9" and 4" X 10"

1'-6" wide and up to 6'-6" long


5" X 12" and 5" X 14" 1'-O" wide and up to 6'-6" long


6" X 15" and 6" X 17" 1'-9" wide and 4'-7" long_





Interlock Pavers















































Interlock Pavers






















































Main Office:

Suite # 306 3rd Floor, Century Tower Kalma Chowk, Main Boulevard, Gulberg Lahore - Pakistan. Tel: +92-42-35913913

Cell: +92 301 3131 301 info@novelconcrete.com www.novelconcrete.com

Islamabad Multan Faisalabad +92 300 8467 427 +92 300 8440 768 +92 321 9508 064